

Listing of Claims:

Claims 1-36 (Canceled).

37. (Currently Amended) A method comprising:

acquiring a caller's number of a portable communication terminal, when the portable communication terminal accesses ~~the~~ a server through a network;

5 causing the portable communication terminal to display thumbnails corresponding to pre-stored images on the server that were pre-stored by a device other than the portable communication terminal;

10 determining, at the server, whether the portable communication terminal has issued a registration command to register at least one of the pre-stored images on the server corresponding to at least one of the thumbnails displayed by the portable communication terminal; and

15 relating, at the server, the at least one selected image with the caller's number of the portable communication terminal and storing the selected image in association with the caller's number of the portable communication terminal when it is determined that the portable communication terminal has issued the registration command.

38. (Currently Amended) A print method comprising:

connecting a portable communication terminal to a server
through a network;

displaying, on the portable communication terminal,

5 thumbnails corresponding to pre-stored images on the server that
were pre-stored by a device other than the portable communication
terminal;

selecting, at the portable communication terminal, at least
one of the thumbnails;

10 transmitting, from the portable communication terminal to
the server, a registration command for relating the at least one
pre-stored image corresponding to the at least one selected
thumbnail with a caller's number of the portable communication
terminal, and storing the at least one selected image in

15 association with the related caller's number of the portable
communication terminal on the server;

disconnecting the portable communication terminal from the
server;

connecting a printer to the server through the portable

20 communication terminal, when it is determined that a print
command has been issued at the printer;

transmitting a download request from the printer to the
server after the print command has been issued;

receiving at the printer the at least one image stored in
25 association with the related caller's number of the portable
communication terminal, which is transmitted from the server in
response to the download request; and

printing at the printer the at least one received image.

39. (Currently Amended) A print system comprising:

means for connecting a portable communication terminal to a
server through a network;

means for acquiring a caller's number of the portable
5 communication terminal, when the portable communication terminal
accesses the server;

means for displaying, on the portable communication
terminal, thumbnails corresponding to pre-stored images on the
server that were pre-stored by a device other than the portable
10 communication terminal;

means for selecting, at the portable communication terminal,
at least one of the thumbnails;

means for relating, at the server, the at least one selected
pre-stored image with the caller's number of the portable
15 communication terminal and for storing the at least one selected
image in association with the caller's number of the portable
communication terminal;

means for disconnecting the portable communication terminal
from the server;

20 means for connecting a printer to the server through the
portable communication terminal when a print command is issued at
the printer;

means for transmitting a download request from the printer
to the server after the print command has been issued;

25 means for receiving the at least one image stored in
association with the related caller's number of the portable
communication terminal, which is transmitted from the server in
response to the download request; and

means for controlling the printer to print the at least one
30 received image.